

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of the Claims

1. (currently amended) A method for identifying clinical trial candidates, the method comprising the steps of:

receiving from a patient clinical data source, patient data including identities of patients;

encrypting the identities of the patients to create encrypted versions of the patient identities;

replacing the identities of the patients in the patient data with ~~secure patient codes~~ the encrypted versions of the patient identities;

forwarding the patient data with ~~secure patient codes~~ the encrypted versions of the patient identities to a clinical trial candidate identification service;

receiving from the clinical trial candidate identification service a clinical trial candidate proposal including ~~a secure patient code~~ an encrypted version of the patient identity corresponding to a proposed clinical trial candidate;

~~determining an identity of the proposed clinical trial candidate from the secure patient code~~

decrypting the encrypted version of the patient identity corresponding to the proposed clinical trial candidate; and

forwarding the decrypted identity of the proposed clinical trial candidate to a candidate contact;

wherein the clinical data source is a database containing transactions between health care providers and payers.

2. (original) The method of claim 1, wherein the candidate contact is a health care provider of the candidate.
3. (original) The method of claim 1, wherein the candidate contact is the proposed clinical trial candidate.
- 4-5 (canceled)
6. (original) The method of claim 1, further comprising the step of extracting patient medical information from the patient data received from a patient clinical data source.
7. (original) The method of claim 1, further comprising the step of reformatting the patient data received from a patient clinical data source.
8. (canceled)
9. (original) The method of claim 1, wherein the clinical data source is a hospital network.
10. (original) The method of claim 1, further comprising the steps of:
receiving from the candidate contact a status of the clinical trial candidate proposal; and
forwarding the status to the clinical trial candidate identification service.

11. (currently amended) The method of claim 10, wherein the status includes the identity of the proposed candidate, and the method further comprises the step of ~~replacing~~ encrypting the identity of the proposed candidate ~~with a secure patient code~~ before forwarding the status to the clinical trial candidate identification service.

12. (original) The method of claim 1, further comprising the steps of:
receiving from the clinical trial candidate identification service, descriptive information about a clinical trial of the clinical trial candidate proposal; and
forwarding the information to the candidate contact.

13. (currently amended) A method for identifying clinical trial candidates, the method comprising the steps of:

receiving at least one clinical data record, each said record including clinical data and a ~~secure patient code~~ an encrypted version of a patient identity uniquely identifying the record without revealing an identity of a corresponding patient;

receiving a candidate selection criterion for a clinical trial;

searching the at least one clinical data record for a matching clinical data record based on the candidate selection criterion; and

if a matching clinical data record is found, then forwarding a contact request including at least a ~~secure patient code~~ the encrypted version of a patient identity from the matching clinical data record;

wherein the at least one clinical data record is received from an entity controlling a database containing transactions between health care providers and payers.

14. (currently amended) The method of claim 13, wherein the contact request is forwarded to a trusted entity having ~~an identity of a patient corresponding to the forwarded secure patient code~~ a key for decrypting the encrypted version of a patient identity.

15-16 (canceled)

17. (original) The method of claim 13, further comprising the step of receiving descriptive information about the clinical trial, and wherein the contact request includes the descriptive information.

18. (original) The method of claim 13, wherein the at least one clinical data record is received from a data exchange service.

19. (currently amended) The method of claim 18, wherein ~~the secure patient code~~ the encrypted version of a patient identity corresponding to a matching clinical data record is forwarded to the data exchange service.

20. (canceled)

21. (currently amended) The method of claim 13, wherein ~~the secure patient code~~ the encrypted version of a patient identity corresponding to a matching clinical data record is forwarded to an entity controlling a database containing transactions between health care providers and payers.

22. (currently amended) The method of claim 13, further comprising the step of:
maintaining records of matching clinical data records; and
wherein the step of forwarding a contact request ~~including a secure patient code~~ is
performed only if that code has not already been forwarded.

23. (currently amended) A method for selecting clinical trial candidates, the method
comprising the steps of:

periodically receiving clinical data records, each said record including clinical data and a
~~secure patient code~~ an encrypted version of a patient identity uniquely identifying the record
~~without~~ and requiring a key for revealing an identity of a corresponding patient, the clinical data
records containing transactions between health care providers and payers;

periodically searching the data records to identify records of clinical trial candidates.

24. (currently amended) A system for identifying clinical trial candidates, comprising:
a data exchange service for receiving patient records from a patient clinical data source
and ~~replacing identities of patients in each patient record with a secure patient code~~ encrypting
identities and contact information of patients to create encrypted versions of the patient identity;

a clinical trial candidate identification service for receiving the patient records with
~~secure patient codes~~ encrypted versions of the patient identity from the data exchange service,
and identifying a patient record as a clinical trial candidate;

wherein the clinical data source is a database containing transactions between health care
providers and payers.

25. (currently amended) The system of claim 24, wherein the clinical trial candidate identification service forwards ~~a secure patient code~~ an encrypted version of the patient identity of the identified patient record to the data exchange service, and the data exchange service ~~determines the identity of the patient~~ decrypts the information for contacting the patient.

26. (currently amended) The system of claim 24, wherein the data exchange service receives a status of the clinical trial candidate proposal, ~~replaces an identity of the proposed candidate with a secure patient code;~~ and forwards the status to the clinical trial candidate identification service.

27. (original) The system of claim 24, wherein the clinical trial candidate identification service is further for receiving candidate selection criteria for a clinical trial, and the clinical trial candidate identification service identifies a patient record based on the candidate selection criteria.

28-29 (canceled)

30. (original) The system of claim 24, wherein the data exchange service is further for extracting patient medical information from the patient data received from a patient clinical data source.

31. (original) The system of claim 24, wherein the data exchange service is further for reformatting the patient data received from a patient clinical data source.

32. (canceled)

33. (original) The system of claim 24, wherein the clinical data source is a hospital network.

34. (new) The method of claim 1, wherein the step of encrypting the identities and contact information of the patients to create encrypted versions of the patient identities further comprises:

performing a one-way hash.

35. (new) The system of claim 24, wherein the data exchange service performs a one-way hash on the identities of the patients to create encrypted versions of the patient identities.